

PORTABLE AIR COMPRESSORS

185

260 - 320

375 - 425

SERIES

Whatever the job size,
wherever the job site.



sullair.com.au

 **SULLAIR**
A Hitachi Group Company



CONTENTS

Introduction	4
Our Brands	5
Our Point of Difference	6
Portable Series Benefits	7
Customer Care Products & Services	8
The Sullair 185	9
The Sullair 260 & 320	10
The Sullair 375 & 425	11



PORTABLE AIR COMPRESSORS

For over 50 years, Sullair has been a global leader in portable compressed air solutions.

Whatever the application, whatever size the job, wherever the job site, you're always getting our best. Our machines have won awards for their innovative design, and our top-notch rotary screw compression is industry leading.

That's not all. Our reliable service and local support teams mean you're equipped for maximum performance, without having to worry about your equipment. That's the Sullair promise backed by a half-century spent supporting Australian industry.



OUR BRANDS

SULLAIR

The name you
can trust.



If your business runs on compressed air, then you need a reliable compressed air supplier. A company that understands the local conditions, goes above and beyond to solve even the most complex of problems, and helps you retain your competitive edge with smart new technologies and bright ideas.

Sullair is that business. Over the half-century we've been operating, we've been proud to support Australian industry across fields as diverse as mining, farming and healthcare.

We see ourselves not just as your supplier, but also as your partner - a proudly Australian operator backed by our international parent company Hitachi. Your success is our success. So if you can't do without compressed air, let's have a chat about what we can do for you.

DESIGNED FOR AUSTRALIAN CONDITIONS

Tropical North to desert centre and frosty extremities no one on Earth knows harsh and varied environmental conditions like Australians. That's why it has been designed and engineered to suit Australian conditions.

OUR POINT OF DIFFERENCE



Customisation comes standard.

CUSTOMISE THE COMPRESSOR TO MEET YOUR SPECIFIC REQUIREMENTS

There's no point paying for features that you don't need, which is why your portable air compressor can be easily customised.

Choose from features like mine spec option, cold weather starting aid, harsh environment and rental ready specs, fuel level gauge and specialised paint whatever your specific requirements, your compressor will be ready to go.

All compressors come with aftercooler as standard delivering optimum performance even at 50°C



Every fix is an easy fix.

DESIGNED FOR TOTAL ACCESSIBILITY AND RELIABILITY, MEANING LESS RISK OF DOWNTIME.

Every compressor will need maintenance at some stage, which is why your portable unit is designed to make servicing easy.

Large doors provide plenty of access to the fuel tank, engine, air filters. Coolers and radiators are within easy reach to facilitate easy service. The result is less downtime, less cost of service and, thankfully, less hassle.



Airend Warranty.

SO RELIABLE, WE STAND BY IT.

At Sullair, we don't take your trust in our products lightly.

So we're prepared to back everything we do 100%, or we don't do it at all. Because we're constantly fine tuning how we can best deliver trouble-free air compression, we're happy to extend our standard 2 year Airend Warranty to 5 years or 10,000 hours when you follow our service plan. That way our confidence can rub off on your business.



The right fluid for the job.

THE RIGHT FLUID FOR EXTREME TEMPERATURES, SO YOU CAN STAY COOL.

If your business as usual runs at out of the ordinary temperatures, you need industry formulated All Weather Fluid (AWF™) to help your portable air compressors deliver to potential.

Because AWF™ lasts up to four times longer, and carries our extended Airend Warranty, you can rely on superior hot and cold lubrication with less risk of downtime, whatever the weather.

PORTABLE SERIES BENEFITS



Meets OH&S standards with full guarding of moving parts and quiet operation



Hassle free service with an easy access enclosure




Pioneering rotary screw technology and world renowned design with high quality components



Dual pressure machine delivering 260 CFM at 7 bar and 10 bar
(available on the 260/260H only)



Portable, serviceable and a turbo diesel engine so efficient you can leave the jerry cans at home



Guaranteed Airend longevity and quiet performance from below freezing to 50°C



Total protection for your staff and business, with protective shut down, emergency stop and standard 2 year Airend Warranty



Easily transportable, adjustable and serviceable dependable air for out of the way places

CUSTOMER CARE PRODUCTS & SERVICES

For over 50 years, Sullair has been a global leader in portable compressed air solutions.

GENUINE PARTS & SERVICES

Sullair's success comes from our quality parts, excellent design and exceptional features that keep your investment going, year after year.

Our team of engineers work hard to make sure everything we design delivers a reliable, energy efficient performance, whether that's our units themselves or the air dryers, filters or moisture separators you use with them.

We also like to be prepared if or when the time comes for a repair, you can trust us to use only genuine Sullair replacement parts to get your machine back to performing at its best.

END-TO-END SUPPORT

At Sullair, we're in the business of helping your business run reliably.

Which is why we provide 24/7 service and support nationwide, no matter which compressor make or model you own. You can count on us to be your partner,

whether you run a mining operation in the Pilbara, a manufacturing plant in Melbourne, or a panel shop in Mackay.

Our expert technicians are thoroughly trained and fully equipped to keep your investment performing and your business humming any day, any time.

THE SULLAIR AIREND EXCHANGE SERVICE

The Sullair Airend Exchange Service offers you two options if your Airend needs work.

It can be removed and returned for assessment at one of our four rebuild centres in Australia, where you can always trust us to tell you how long it will take and how much it will cost.

Or you can 'trade' it in for a new or refurbished, off-the-shelf Airend at your local Sullair service centre - a quicker option that means less downtime for your compressor. Give us a call if you need help deciding which decision is right for you.

THE SULLAIR 185

Meet the workhorse of the Sullair mobile fleet.

Each 185A compressor is fitted with efficient, robust technology to enable safe, trouble free operation wherever the job takes you.

Complete with our famous precision-engineered Sullair Airend, for maximum performance and longevity, all serviceable components are easily accessible to make maintenance a breeze. Reliable, durable and all wrapped up in a sleek, towable unit – the 185A compressor proves that some of the best things come in small packages.



TECHNICAL SPECIFICATIONS

MODEL	MAX PRESSURE		CAPACITY - FREE AIR DELIVERY			MOTOR RATING		NOISE LEVEL DB(A)	DIMENSION	APPROX WEIGHT	AIR OUTLET DISCHARGE SIZE	TYRE SIZE (LOAD RANGE)
	PSI	BAR	L/s	M ³ /Min	CFM	kW	HP		L x W x H (mm)	kg		
185A DPQ	100	6.9	87	5.2	185	44	60	77	3315 x 1600 x 1495	1090	2 x ¾ NPT	165R13LT
185A DLQ									2076 x 1158 x 1183	918		N/A

DLQ - No running gear. Provided with forklift slots
DPQ - Highway towable running gear, 2 wheels and enclosure
All units in the 185 range are aftercooled

THE SULLAIR 260H/320

Designed for total accessibility and reliability.

Features dual pressure capability advantage at the flick of a switch.

The focus on the design is to ensure ease of maintenance and at the heart of the 260 and 320 machine is the legendary Sullair Airend. The running gear supplied has been carefully designed and built to withstand the harshest Australian conditions. The product comes in two variants the DPQ trailer mount and the DLQ skid mount, giving you the choice to either tow your compressor or mount on your truck or trailer.



TECHNICAL SPECIFICATIONS

MODEL	MAX PRESSURE		CAPACITY - FREE AIR DELIVERY			MOTOR RATING		NOISE LEVEL DB(A)	DIMENSION	APPROX WEIGHT	AIR OUTLET DISCHARGE SIZE	Tyre SIZE (LOAD RANGE)
	PSI	BAR	L/s	M ³ /Min	CFM	kW	HP		L x W x H (mm)	kg		
260A/260HA DLQ	100/150	6.9/10.3	123	7.4	260	70	94	79	2389 x 1294 x 1250	1430	2 x ¾" NPT (Min Sup Coupling)	N/A
260A/260HA DPQ									3729 x 1670 x 1610	1590		185R14
320A DLQ	100	6.9	151	9.0	320	70	94	80	2389 x 1294 x 1250	1430	2 x ¾" NPT (Min Sup Coupling)	N/A
320A DPQ									3729 x 1670 x 1610	1590		185R14

DLQ - No running gear. Provided with forklift slots
 DPQ - Highway towable running gear, 2 wheels and enclosure
 All units in the 260-320 range are aftercooled

THE SULLAIR 375/425

All the benefits of the Sullair Rotary Screw range combined with maximum portability.

The Sullair 375 and 425 are equal parts portability, durability and efficiency.

Made from high quality components, with Sullair's pioneering rotary screw technology, it's quiet to run and built to last.

Choose between the 375 and 425 models to access your specific compressed air needs and with the choice of DPQ road registration capability or a DLQ skid base for flat-bed transportation, you're in charge of where you take it and how you get it there.



TECHNICAL SPECIFICATIONS

MODEL	MAX PRESSURE		CAPACITY - FREE AIR DELIVERY			MOTOR RATING		NOISE LEVEL DB(A)	DIMENSION	APPROX WEIGHT	AIR OUTLET DISCHARGE SIZE	Tyre SIZE (LOAD RANGE)						
	PSI	BAR	L/s	M ³ /Min	CFM	kW	HP		L x W x H (mm)	kg								
375A DPQ	100	6.9	177	10.6	375	87	117	76	3966 x 1960 x 1980	2005	1 x 2"; 3 x 3/4	225/75D15						
375A DLQ													2710 x 1506 x 1660	1894				
375HA DPQ	150	10.3							97	130			3966 x 1960 x 1980	2005				
375HA DLQ													2710 x 1506 x 1660	1903				
375HHA DPQ	200	13.8							104	140			3966 x 1960 x 1980	2014				
375HHA DLQ													2710 x 1506 x 1660	1903				
425A DPQ	100	6.9				200	12		425	97			130		3966 x 1960 x 1980	2005	1 x 2"; 3 x 3/4	225/75D15
425A DLQ																2710 x 1506 x 1660		
425HA DPQ	150	10.3			104			140		3966 x 1960 x 1980	2014							
425HA DLQ										2710 x 1506 x 1660	1903							

DLQ - No running gear. Provided with forklift slots
 DPQ - Highway towable running gear, 2 wheels and enclosure
 All units in the 375-425 range are aftercooled



7 Bazalgette Cres, Dandenong South,
VIC 3175, Australia

T 1300 COMPRESSOR
F +61 3 9703 9053

sullair.com.au

*With our policy of continuous improvement, we reserve the right to change or discontinue at any time, specifications or designs without notice. Note: All images are for illustration purposes only. E&OE